

Name of Neighborhood Organization: \_\_\_\_\_  
Name of President completing survey: \_\_\_\_\_

Survey for Neighborhood Association Presidents  
City of Fort Worth Gas Drilling Ordinance Issues

**1. PROTECTED USES:**

A. The definition of public buildings (where drill sites must be at least 600 feet away) should be the following:

**Public building** means all buildings used or designed to and intended to be used for auditoriums, museums, and libraries, theaters, assembly halls, mortuary chapel, dance halls, exhibition halls, museums, gymnasiums, bowling lanes, libraries skating rinks, courtrooms, restaurants (with occupancy greater than 50), stores and shopping centers.

Strongly Agree    Agree    No Opinion    Disagree    Strongly Disagree

B. Trinity Trails (walk and bike paths along the Trinity River) need to be a protected use (distance of 600 feet from drilling activities):

Strongly Agree    Agree    No Opinion    Disagree    Strongly Disagree

**2. COMPRESSOR STATIONS**

A. These need to be fully housed, with roofs.

Strongly Agree    Agree    No Opinion    Disagree    Strongly Disagree

B. These need a hard setback of 600 feet from residences.

Strongly Agree    Agree    No Opinion    Disagree    Strongly Disagree

**4. SETBACKS**

A. Gas Drilling Equipment needs to be 200 feet from adjacent property lines.

Strongly Agree    Agree    No Opinion    Disagree    Strongly Disagree

**SETBACKS, continued:**

B. The minimum setback of a well bore from a structure should be reduced from 200 to 100 feet.

Strongly Agree    Agree            No Opinion            Disagree            Strongly Disagree

**3. WAIVERS**

(Drilling Companies now must seek waivers from adjacent property owners if they want to drill closer than 600 feet from a protected use – parks, schools, residences, etc. . . . Sometimes companies purchase properties in order to give themselves a waiver or provide compensation to property owners to encourage their granting waivers.)

A. Waivers should not be permitted.

Strongly Agree    Agree            No Opinion            Disagree            Strongly Disagree

B. Compensation for waivers should not be permitted.

Strongly Agree    Agree            No Opinion            Disagree            Strongly Disagree

**4. PIPELINES**

A. The issue of pipelines (placement, odorization, safety measures with pipelines, etc.) needs further review by the Gas Drilling Task Force, City staff and citizens and ordinance measures regarding pipelines should be approved at a later time AFTER the above review.

Strongly Agree    Agree            No Opinion            Disagree            Strongly Disagree

B. Gas in gathering and transmission lines should be odorized OR we need a valid opinion that that is not possible.

Strongly Agree    Agree            No Opinion            Disagree            Strongly Disagree

**PIPELINES, continued:**

C. Pipeline companies and drilling companies should be required by the Fort Worth ordinance to provide maps to the City of where their pipelines are laid and where they intend to place new pipelines.

Strongly Agree      Agree      No Opinion      Disagree      Strongly Disagree

D. Proposed pipeline routes should be reviewed by a Gas Drilling Review Board.

Strongly Agree      Agree      No Opinion      Disagree      Strongly Disagree

**5. ENVIRONMENTAL ISSUES**

A. Environmental issues surrounding gas drilling requires further study by a designated panel of experts in the fields of air quality, water quality, and drilling waste. Therefore, ordinance measures regarding environmental issues should be approved at a later time only AFTER the above experts have studied the issues and provided a report with their recommendations for ordinance provisions.

Strongly Agree      Agree      No Opinion      Disagree      Strongly Disagree

B. The ordinance should require disclosure of all contaminants and waste handling practices.

Strongly Agree      Agree      No Opinion      Disagree      Strongly Disagree

C. Recycling of water used in the gas drilling process should be required.

Strongly Agree      Agree      No Opinion      Disagree      Strongly Disagree

